

GREEN-LINKED
ÖKO-FLEX surface heating pipe



IVT green-linked

For the love of the environment

IVT
WÜRTH  **GROUP**

ÖKO-FLEX surface heating pipe PE-HDS *green-linked* - **35 % less energy**

The ÖKO-FLEX pipe for surface heating!

Our **PRINETO** ÖKO-FLEX surface heating pipe made of self-crosslinking polyethylene PE-HDS in accordance with DIN 16892 enables energy savings of approx. 35 % during production (compared to ready crosslinked pipes). Greatest care in the production process as well as a specially adjusted raw material also ensure excellent processing properties.

The PE-HDS pipe corresponds to application class 4 for surface heating systems in accordance with DIN 4726, has an EVOH sheathing and is therefore oxygen-tight.

PRINETO ÖKO-FLEX surface heating pipe PE-HDS, green-linked

Description	d mm	s mm	Weight kg/m	Art. no.	PU
ÖKO-FLEX surface heating pipe PE-HDS 12*	12	2.0	0.067	878 311 320	120
ÖKO-FLEX surface heating pipe PE-HDS 12	12	2.0	0.067	878 311 322	480
ÖKO-FLEX surface heating pipe PE-HDS 14*	14	2.0	0.086	878 311 331	240
ÖKO-FLEX surface heating pipe PE-HDS 14	14	2.0	0.086	878 311 332	600
ÖKO-FLEX surface heating pipe PE-HDS 17	17	2.0	0.104	878 311 350	120
ÖKO-FLEX surface heating pipe PE-HDS 17*	17	2.0	0.104	878 311 351	240
ÖKO-FLEX surface heating pipe PE-HDS 17*	17	2.0	0.104	878 311 352	600
ÖKO-FLEX surface heating pipe PE-HDS 20	20	2.0	0.120	878 311 371	240
ÖKO-FLEX surface heating pipe PE-HDS 20	20	2.0	0.120	878 311 372	400
ÖKO-FLEX surface heating pipe PE-HDS 25	25	2.3	0.177	878 311 381	240

*Also available as a Velcro surface heating pipe.

Coupling instead of throwing away - good the environment and wallet!

Our permanently fixed and especially safe sliding sleeve connection allows the standard-compliant connection of surface heating pipes with our **PRINETO** couplers. Free of O-rings and secure. This allows valuable remnants to be processed and avoids waste.

For a clean life cycle assessment and fuller wallet!



Production of a permanently fixed **PRINETO** sliding sleeve connection





ÖAKR certificate for CO₂ savings

Since 2018 we have been a member of the Austrian Working Group Plastic Pipe Recycling (ÖAKR). Every year we therefore contribute to the reduction of CO₂ and make an effective contribution to climate protection.

No plastic packaging

We deliberately neither use any plastic-caps for heating pipes nor PE-packaging for our pipe rods to reduce plastic waste.



GREEN-LINKED

For the love of the environment



Production with in-house photovoltaic power

On the roof of our annex to the IVT production and logistics tract, a photovoltaic plant will be built in 2020 to generate electricity for production and administration.

We will thus be able to cover about 30% of IVT's total electricity requirements from our own sustainable electricity production. The Co₂ savings will be around 155 tonnes per year.

Another IVT contribution towards climate protection.

GREEN-LINKED

For the love of the environment

Flyer printed climate neutral. Last update 02/2020.
We reserve the right to make changes!

Gewerbering Nord 5
D-91189 Rohr
Order hotline: + 49 9876 9786 97
Technology hotline: + 49 9876 9786 60
Fax + 49 9876 9786 98
info@ivt-group.com
www.ivt-group.com

